SPECIAL ISSUE

Biochemistry and circulation of water masses in the Southern Ocean, based on papers presented at the International Symposium, Brest, France, 2–6 July 1990

CONTENTS

Preface xi

Theme 1 – Tracers and circulation of water masses

On water mass exchange between the Southern Ocean and the World Ocean; emphasis on the Atlantic sector
W.D. Nowlin, Jr. (College Station, TX, USA) 1

On the nature and significance of the Antarctic Slope Front
S.S. Jacobs (Palisades, NY, USA) 9

An estimate of water mass transformation in the southern Weddell Sea
E. Fahrbach, M. Knoche and G. Rohardt (Bremerhaven, FRG) 25

Frontal structure and transport of the Antarctic Circumpolar Current in the south Indian Ocean sector, 40–80°E
Y.-H. Park, L. Gamberoni and E. Charriaud (Paris, France) 45

The structure and evolution of the top layers of the water column across the marginal ice zone during spring 1988 in the Scotia–Weddell Sea sector of the Southern Ocean
C. Veth (Texel, Netherlands) 63

Autumn air–sea disequilibrium of CO_2 in the South Pacific Ocean
P.P. Murphy, R.A. Feely, R.H. Gammon, K.C. Kelly (Seattle, WA, USA) and L.S. Waterman (Boulder, CO, USA) 77

Surface water carbon dioxide in the southwest Indian sector of the Southern Ocean: a highly variable CO_2 source/sink region in summer
N. Metzl, C. Beauverger, C. Brunet, C. Goyet and A. Poisson (Paris, France) 85

Studies of deep water formation and circulation in the Weddell Sea using natural and anthropogenic tracers
P. Schlosser (Palisades, NY, USA), J.L. Bullister (Seattle, WA, USA) and R. Bayer (Heidelberg, FRG) 97

Tritium profiles in the Weddell Sea
R. Bayer (Heidelberg, FRG) and P. Schlosser (Palisades, NY, USA) 123

^3He and chlorofluorocarbons (CFC) in the Southern Ocean: tracers of water masses
P. Jean-Baptiste, L. Mémery, D. Jamous (Gif sur Yvette, France) and F. Mantisi (Paris, France) 137

Chlorofluoromethanes in the western Indian sector of the Southern Ocean and their relations with geochemical tracers
F. Mantisi, C. Beauverger, A. Poisson and N. Metzl (Paris, France) 151

Dimethylsulphide (DMS) in the Weddell Sea surface and bottom water
E. Fogelqvist (Göteborg, Sweden) 169

'NO' as a conservative tracer in the Weddell Sea
R. Lindegren and L.G. Anderson (Göteborg, Sweden) 179

Total organic carbon in the sea–ice zone between Elephant Island and the South Orkney Islands at the start of the austral summer (1988–89)
R. Prego (Vigo, Spain) 189

Iron in the water column of the Weddell Sea
S. Westerlund and P. Öhman (Göteborg, Sweden) 199

SPECIAL ISSUE

Biochemistry and circulation of water masses in the Southern Ocean, based on papers presented at the International Symposium, Brest, France, 2–6 July 1990

CONTENTS

Preface xi

Theme 1 – Tracers and circulation of water masses

On water mass exchange between the Southern Ocean and the World Ocean; emphasis on the Atlantic sector
W.D. Nowlin, Jr. (College Station, TX, USA) 1

On the nature and significance of the Antarctic Slope Front
S.S. Jacobs (Palisades, NY, USA) 9

An estimate of water mass transformation in the southern Weddell Sea
E. Fahrbach, M. Knoche and G. Rohardt (Bremerhaven, FRG) 25

Frontal structure and transport of the Antarctic Circumpolar Current in the south Indian Ocean sector, 40–80°E
Y.-H. Park, L. Gamberoni and E. Charriaud (Paris, France) 45

The structure and evolution of the top layers of the water column across the marginal ice zone during spring 1988 in the Scotia–Weddell Sea sector of the Southern Ocean
C. Veth (Texel, Netherlands) 63

Autumn air–sea disequilibrium of CO_2 in the South Pacific Ocean
P.P. Murphy, R.A. Feely, R.H. Gammon, K.C. Kelly (Seattle, WA, USA) and L.S. Waterman (Boulder, CO, USA) 77

Surface water carbon dioxide in the southwest Indian sector of the Southern Ocean: a highly variable CO_2 source/sink region in summer
N. Metzl, C. Beauverger, C. Brunet, C. Goyet and A. Poisson (Paris, France) 85

Studies of deep water formation and circulation in the Weddell Sea using natural and anthropogenic tracers
P. Schlosser (Palisades, NY, USA), J.L. Bullister (Seattle, WA, USA) and R. Bayer (Heidelberg, FRG) 97

Tritium profiles in the Weddell Sea
R. Bayer (Heidelberg, FRG) and P. Schlosser (Palisades, NY, USA) 123

^3He and chlorofluorocarbons (CFC) in the Southern Ocean: tracers of water masses
P. Jean-Baptiste, L. Mémery, D. Jamous (Gif sur Yvette, France) and F. Mantisi (Paris, France) 137

Chlorofluoromethanes in the western Indian sector of the Southern Ocean and their relations with geochemical tracers
F. Mantisi, C. Beauverger, A. Poisson and N. Metzl (Paris, France) 151

Dimethylsulphide (DMS) in the Weddell Sea surface and bottom water
E. Fogelqvist (Göteborg, Sweden) 169

'NO' as a conservative tracer in the Weddell Sea
R. Lindegren and L.G. Anderson (Göteborg, Sweden) 179

Total organic carbon in the sea–ice zone between Elephant Island and the South Orkney Islands at the start of the austral summer (1988–89)
R. Prego (Vigo, Spain) 189

Iron in the water column of the Weddell Sea
S. Westerlund and P. Öhman (Göteborg, Sweden) 199

Cadmium, copper and iron in the Scotia Sea, Weddell Sea and Weddell/Scotia Confluence (Antarctica)
R.F. Nolting, H.J.W. De Baar, A.J. van Bennekom (Texel, Netherlands) and A. Masson (Brest, France) 219

Theme 2 – Processes and fluxes in the surface layer
Nutrient distributions and new production in polar regions: parallels and contrast between the Arctic and Antarctic
W.O. Smith, Jr. (Knoxville, TN, USA) 245
Factors controlling the development of phytoplankton blooms in the Antarctic Ocean – a mathematical model
E. Sakshaug, D. Slagstad (Trondheim, Norway) and O. Holm-Hansen (La Jolla, CA, USA) .. 259
Is the concept of new production–regenerated production valid for the Southern Ocean?
G. Jacques (Banyuls-sur-Mer, France) 273
Variations in phytoplanktonic nitrogen assimilation around South Georgia and in the Bransfield Strait (Southern Ocean)
N.J.P. Owens (Plymouth, UK), J. Priddle and M.J. Whitehouse (Cambridge, UK) 287
Modelling carbon cycling through phytoplankton and microbes in the Scotia–Weddell Sea area during sea ice retreat
C. Lancelot, G. Billen, S. Becquevort, S. Mathot (Brussels, Belgium) and C. Veth (Texel, Netherlands) 305
Regional relationships between biological and hydrographical properties in the Weddell Gyre in late austral winter 1989
E.-M. Nöthig, U. Bathmann, E. Fahrbach, R. Gradinger (Bremerhaven, FRG), J.C. Jennings, Jr., L.I. Gordon (Corvallis, OR, USA) and R. Makarov (Moscow, USSR) 325
The ecology and biogeography of tintinnid ciliates in the Atlantic sector of the Southern Ocean
V.A. Alder and D. Boltovskoy (Buenos Aires, Argentina) 337
A simple primary production model for the NW Weddell Sea
A. Svansson (Gothenburg, Sweden) 347
$\delta^{13}C$ and $\delta^{15}N$ variations in Weddell Sea particulate organic matter
G.H. Rau (Santa Cruz, CA, USA), C.W. Sullivan (Los Angeles, CA, USA) and L.I. Gordon (Corvallis, OR, USA) 355
The dynamics of CO_2 fixation in the Southern Ocean as indicated by carboxylase activities and organic carbon isotopic ratios
M. Fontugne (Gif sur Yvette, France), C. Descolas-Gros and G. de Billy (Banyuls-sur-mer, France) 371
Dimethylsulfoniopropionate (DMSP) in ice-algae and its possible biological role
G.O. Kirst, C. Thiel, H. Wolff, J. Nothnagel, M. Wanzek and R. Ulmke (Bremen, FRG) 381
Water-extractable carbohydrates in particulate matter of the Bransfield Strait
G. Liebezeit and M. Bölter (Kiel, FRG) 389
Suspended barite as a tracer of biological activity in the Southern Ocean
F. Dehairs, N. Stroobants and L. Goeyens (Brussels, Belgium) 399
Barite formation in the Southern Ocean water column
N. Stroobants, F. Dehairs, L. Goeyens (Brussels, Belgium), N. Vanderheijden and R. van Grieken (Wilrijk, Belgium) 411
Dissolved aluminium in the Weddell–Scotia Confluence and effect of Al on the dissolution kinetics of biogenic silica
A.J. van Bennekom, A.G.J. Buma and R.F. Nolting (Texel, Netherlands) 423
The distribution of biogenic silica and the composition of particulate organic matter in the Weddell–Scotia Sea during spring 1988
A. Leynaert, P. Tréguer, B. Quéguiner (Brest, France) and J. Morvan (Rennes, France) 435
The production of biogenic silica in the Weddell and Scotia Seas
B. Quéguiner, P. Tréguer (Brest, France) and D.M. Nelson (Corvallis, OR, USA) 449

Cycling of biogenic silica within the upper water column of the Ross Sea
D.M. Nelson, J.A. Ahern and L.J. Herlihy (Corvallis, OR, USA) 461
The annual production of biogenic silica in the Antarctic Ocean
P. Tréguer (Brest, France) and A.J. van Bennekom (Texel, Netherlands) 477

Theme 3 – Fluxes through the water column and through the water–sediment interface
The cycling and accumulation of biogenic silica and organic carbon in Antarctic deep-sea and continental margin environments
D.J. DeMaster, T.M. Nelson, S.L. Harden (Raleigh, NC, USA) and C.A. Nittrouer (Stony Brook, NY, USA) 489
Biosiliceous particle flux in the Southern Ocean
A. Abelmann and R. Gersonde (Bremerhaven, FRG) 503
Biogenic silica accumulation rate during the Holocene in the southeastern Indian Ocean
G. Bareille, M. Labracherie, J.-J. Pichon, J.-L. Turon (Talence, France) and L. Labeyrie (Gif sur Yvette, France) 537
Scavenging and particle flux: seasonal and regional variations in the Southern Ocean (Atlantic sector)
M.M. Rutgers van der Loeff (Bremerhaven, FRG) and G.W. Berger (Den Burg, Netherlands) 553
Organic carbon flux and oxygen penetration into sediments of the Weddell Sea: indicators for regional differences in export production
M. Schlüter (Bremerhaven, FRG) 569
Stable carbon isotope ratios of plankton carbon and sinking organic matter from the Atlantic sector of the Southern Ocean
G. Fischer (Bremen, FRG) 581
Annual primary production and export flux in the Southern Ocean from sediment trap data
G. Wefer and G. Fischer (Bremen, FRG) 597

Conclusions of the Symposium 615
List of participants 621